



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/800,938	03/15/2004	G. Glenn Henry	CNTR.2072	1288

23669 7590 07/14/2009
HUFFMAN LAW GROUP, P.C.
1900 MESA AVE.
COLORADO SPRINGS, CO 80906

EXAMINER

LANIER, BENJAMIN E

ART UNIT	PAPER NUMBER
----------	--------------

2432

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/14/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTO@HUFFMANLAW.NET

Office Action Summary	Application No. 10/800,938	Applicant(s) HENRY ET AL.	
	Examiner BENJAMIN E. LANIER	Art Unit 2432	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 April 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. The amendment filed 27 April 2009 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: single atomic cryptographic instruction.

Applicant is required to cancel the new matter in the reply to this Office Action.

Response to Arguments

2. Applicant argues, “Miller in no way suggests that a microprocessor be provided that is both x86 compatible and that has an x86 cryptographic instruction that takes advantage of an integral cryptographic unit.” In response, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

3. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., an X86 integer unit, an X86 floating point unit, X86 MMX unit, X86 SSE unit) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

4. Applicant argues, “If the security operations taught by Kessler were to be performed by a host processor, it would thus defeat his stated purpose, which is to offload tasks from the host

Art Unit: 2432

processor.” This argument is not persuasive because cited portions of Kessler (Col. 1, line 66 - Col. 2, line 39) do not suggest that the purpose of Kessler's invention is to "offload tasks from the host processor." Instead, Applicant has merely pointed to the background of the invention where Kessler describes the use of coprocessors.

5. Applicant argues that the prior art does not disclose a “single atomic cryptographic instruction”. This argument is not persuasive because the term is undefined by the specification, and therefore, the cryptographic instructions of Kessler meet the claimed instructions using a broad but reasonable interpretation of the specification.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

8. Claims 1-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kessler, U.S. Patent No. 6,789,147, in view of Colavin, U.S. Publication No. 2004/0103263, and further in view of Miller, U.S. Patent No. 6,081,884. Referring to claims 1, 21, Kessler discloses a co-

Art Unit: 2432

processor that includes multiple execution units (Figure 2) wherein each of the execution units includes an execution queue to store cryptographic instructions received by the co-processor (Figure 8), which meets the limitation of fetch logic, configured to receive a single, atomic cryptographic instruction as a part of an instruction flow executing on said microprocessor, wherein said single, atomic cryptographic instruction prescribes one of the cryptographic operations. The execution units include a plurality of operation blocks that correspond to different cryptographic operations that are used depending upon the type of instruction received in the execution queue (Figure 8 & Col. 9, lines 7-43), which meets the limitation of wherein said single, atomic cryptographic instruction prescribes one of a plurality of cryptographic algorithms, algorithm logic, operatively coupled to said single, atomic cryptographic instruction, configured to direct said microprocessor to execute said one of the cryptographic operations according to said one of a plurality of cryptographic algorithms. Using the appropriate operation block, the corresponding cryptographic algorithm is used when processing the received instruction (Col. 9, lines 28-43), which meets the limitation of execution logic, operatively coupled to said algorithm logic, configured to execute said one of the cryptographic operations. The operation blocks correspond to cryptographic algorithms such as AES, 3DES, DES, and RC4 (Figures 5 & 8), which meets the limitation of executing a plurality of cryptographic rounds required to complete said one of the cryptographic operations. Kessler does not specify that the co-processor executes that program that includes the cryptographic operations. Colavin discloses a host and co-processor configuration wherein the co-processor executes the actual application program (Abstract & [0018]), which meets the limitation of said single, atomic cryptographic instruction is one of the instructions in an application program, wherein said application is

Art Unit: 2432

executed by said microprocessor to obtain expected results. It would have been obvious to one of ordinary skill in the art at the time the invention was made for the co-processor of Kessler to execute the actual application program as described by Colavin in order to efficiently execute programs with high instruction level parallelism as taught by Colavin ([0002]). Kessler does not specify that the co-processor utilizes the x86 instruction set. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the co-processor described in Kessler to implement the x86 instruction set because the x86 instruction set has been widely accepted because of its compatibility with a large amount of software as taught by Miller (Col. 2, lines 9-14). Applicant's specification shows that integer instructions are inherent to the x86 instruction set (Page 27). Therefore, when implementing the x86 instruction set in the co-processor of Kessler, as previously described, the execution units would effectively operate as a "integer unit" as claimed.

Referring to claims 2, 3, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as AES, 3DES, DES, and RC4 (Figures 5 & 8), which meets the limitation of an encryption operation, said encryption operation comprises encryption of a plurality of plaintext blocks to generate a corresponding plurality of ciphertext blocks, a decryption operation, said decryption operation comprising decryption of a plurality of ciphertext blocks to generate a corresponding plurality of plaintext blocks.

Referring to claims 4, 22, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as AES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Advanced Encryption Standard (AES) algorithm.

Art Unit: 2432

Referring to claims 5, 23, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as DES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Digital Encryption Standard (DES) algorithm.

Referring to claims 6, 24, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as 3DES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Triple-DES algorithm.

Referring to claims 7, 20, 25, Kessler does not specify that the co-processor utilizes the x86 instruction set. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the co-processor described in Kessler to implement the x86 instruction set because the x86 instruction set has been widely accepted because of its compatibility with a large amount of software as taught by Miller (Col. 2, lines 9-14).

Referring to claims 8, 9, Kessler discloses that each execution unit includes a register file block that includes that data to be operated on by the corresponding cryptographic algorithm (Figure 8 & Co. 9, lines 18-40), which meets the limitation of said single, atomic cryptographic instruction implicitly references a plurality of registers within said microprocessor, a first register, wherein contents of said first register comprise a first pointer to a first memory address, said first memory address specifying a first location in memory for access of said plurality of input text blocks upon which said one of the cryptographic operations is to be accomplished. Kessler does not specify that the co-processor utilizes the x86 instruction set. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made for the co-processor described in Kessler to implement the x86 instruction set because the x86

Art Unit: 2432

instruction set has been widely accepted because of it's compatibility with a large amount of software as taught by Miller (Col. 2, lines 9-14).

Referring to claim 10, Kessler discloses that each execution unit includes a register file block that includes that data to be operated on by the corresponding cryptographic algorithm (Figure 8 & Co. 9, lines 18-40), which meets the limitation of a second register, wherein contents of said second register comprise a second pointer to a second memory address, said second memory address specifying a second location in said memory for storage of a corresponding plurality of output text blocks, said corresponding plurality of output text blocks being generated as a result of accomplishing said one of the cryptographic operations upon a plurality of input text blocks.

Referring to claim 11, Kessler discloses that each execution unit includes a register file block that includes that data to be operated on by the corresponding cryptographic algorithm (Figure 8 & Co. 9, lines 18-40), which meets the limitation of a third register, wherein contents of said third register indicate a number of text blocks within a plurality of input text blocks.

Referring to claim 12, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as AES, 3DES, DES, and RC4 (Figures 5 & 8), which meets the limitation of a fourth register, wherein contents of said fourth register comprise a third pointer to a third memory address, said third memory address specifying a third location in memory for access of cryptographic key data for use in accomplishing said one of the cryptographic operations.

Referring to claim 13, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as RC4 (Figures 5 & 8), which meets the limitation of a fifth

Art Unit: 2432

register, wherein contents of said fifth register comprises a fourth pointer to a fourth memory address, said fourth memory address specifying a fourth location in memory, said fourth location comprising said initialization vector location, contents of said initialization vector comprising an initialization vector or initialization vector equivalent for use in accomplishing said one of the cryptographic operations.

Referring to claim 14, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as AES, 3DES, DES, and RC4 (Figures 5 & 8), which meets the limitation of a sixth register, wherein contents of said sixth register comprises a fifth pointer to a fifth memory address, said fifth memory address specifying a fifth location in memory for access of a control word for use in accomplishing said one of the cryptographic operations, wherein said control word prescribes cryptographic parameters for said one of the cryptographic operations because Applicant's specification essentially states that the control word identifies the algorithm (Page 38, paragraph 55).

Referring to claim 15, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as 3DES, DES (Figures 5 & 8), which meets the limitation of a cryptographic unit executes a plurality of cryptographic rounds on each of a plurality of input text blocks to generate a corresponding each of a plurality of output text blocks, wherein said plurality of cryptographic rounds are prescribed by a control word that is provided to said cryptographic unit.

Referring to claim 16, Kessler discloses a co-processor that includes multiple execution units (Figure 2) wherein each of the execution units includes an execution queue to store cryptographic instructions received by the co-processor (Figure 8), which meets the limitation of

Art Unit: 2432

a cryptographic unit configured to execute one of the cryptographic operations response to receipt of a single, atomic cryptographic instruction that prescribes said one of the cryptographic operations, wherein said single, atomic cryptographic instruction is one of the instructions in an application program that are fetched from memory by fetch logic in said microprocessor. The execution units include a plurality of operation blocks that correspond to different cryptographic operations that are used depending upon the type of instruction received in the execution queue (Figure 8 & Col. 9, lines 7-43), which meets the limitation of an algorithm field, configured to prescribed one of a plurality of cryptographic algorithms to be employed when executing said one of the cryptographic operations. Using the appropriate operation block, the corresponding cryptographic algorithm is used when processing the received instruction (Col. 9, lines 28-43), which meets the limitation of algorithm logic, operatively coupled to said cryptography unit, configured to direct said microprocessor to perform said one of the cryptographic operations according to said one of the plurality of cryptographic algorithms. Kessler does not specify that the co-processor executes that program that includes the cryptographic operations. Colavin discloses a host and co-processor configuration wherein the co-processor executes the actual application program (Abstract & [0018]), which meets the limitation of wherein said microprocessor executes said application program to obtain expected results. It would have been obvious to one of ordinary skill in the art at the time the invention was made for the co-processor of Kessler to execute the actual application program as described by Colavin in order to efficiently execute programs with high instruction level parallelism as taught by Colavin ([0002]). Kessler does not specify that the co-processor utilizes the x86 instruction set. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made

Art Unit: 2432

for the co-processor described in Kessler to implement the x86 instruction set because the x86 instruction set has been widely accepted because of its compatibility with a large amount of software as taught by Miller (Col. 2, lines 9-14). Applicant's specification shows that integer instructions are inherent to the x86 instruction set (Page 27). Therefore, when implementing the x86 instruction set in the co-processor of Kessler, as previously described, the execution units would effectively operate as a "integer unit" as claimed.

Referring to claim 17, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as AES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Advanced Encryption Standard (AES) algorithm.

Referring to claim 18, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as DES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Digital Encryption Standard (DES) algorithm.

Referring to claim 19, Kessler discloses that the operation blocks correspond to cryptographic algorithms such as 3DES (Figures 5 & 8), which meets the limitation of one of a plurality of cryptographic algorithms comprises the Triple-DES algorithm.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2432

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN E. LANIER whose telephone number is (571)272-3805. The examiner can normally be reached on M-Th 7:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/800,938
Art Unit: 2432

Page 12

/Benjamin E Lanier/
Primary Examiner, Art Unit 2432